

# PROGRAMME

LEIPZIG  
INTERVENTIONAL  
COURSE

L I N C



Frank Criado

Page 1/10

Wednesday, January 31, 2018

## ROOM 2 - MAIN ARENA 2

- 09:30 – 11:00**      **EVAR – Current status, open questions, and future perspectives**  
*MODERATOR:*  
Frank Veith  
Frans Moll  
*PANEL:*  
Sven Seifert  
Jean-Pierre Becquemin  
Martin Malina  
Wei Guo  
Roger Greenhalgh  
Giovanni Torsello
- 09:30 – 09:36      Steps to clinical effectiveness and cost effectiveness – Lessons from EVAR 1  
Fiona Rohlfss
- 09:36 – 09:42      Endovascular repair for patients physically unsuitable for open repair. EVAR 2 15-year results  
Roger Greenhalgh
- 09:42 – 09:48      RCTs for EVAR: 15 years later are the conclusions obsolete?  
Jean-Pierre Becquemin
- 09:48 – 09:54      How much open surgery is still required in aortic surgery: A review of 800 aortic aneurysm cases  
Ralf Kolvenbach
- 09:54 – 10:00      Complex-anatomy large aneurysms and why we should consider use of no-treatment and open-surgery strategies more frequently  
**Frank Criado**
- 10:00 – 10:05      Role of gender in TEVAR and EVAR: report from the GREAT registry  
Mauro Gargiulo
- 10:05 – 10:10      Long-term outcomes of EVAR in female patients: A 5-year analysis from the ENGAGE registry  
Giovanni Pratesi
- 10:10 – 10:40      Live case transmission from Leipzig  
University Hospital Leipzig, Dep. Angiology - Live case center
- 10:40 – 10:45      Ovation endograft: 4-year, real world results from the Ovation European post market registry  
Martin Storck

**We are asking all faculty members to strictly respect the given time limits.**

# PROGRAMME

LEIPZIG  
INTERVENTIONAL  
COURSE

L I N C



Frank Criado

Page 2/10

## Wednesday, January 31, 2018

- |               |   |
|---------------|---|
| 10:45 – 10:50 | 10-year outcome analysis of the ITER registry with the GORE Excluder® endograft for infrarenal abdominal aortic aneurysms<br>Giovanni Pratesi |
| 10:50 – 10:55 | Predictors of abdominal aortic aneurysm sac enlargement after EVAR; long-term results from the ENGAGE registry<br>Dittmar Böckler             |
| 10:55 – 11:00 | Discussion  |

We are asking all faculty members to strictly respect the given time limits.

# PROGRAMME

LEIPZIG  
INTERVENTIONAL  
COURSE

L I N C

Frank Criado

Page 3/10

Wednesday, January 31, 2018

## ROOM 2 - MAIN ARENA 2

- 11:00 – 12:30**      **Advanced techniques for juxtarenal aneurysms and challenging neck anatomy**  
*MODERATOR:*  
Eric Verhoeven  
Jean-Pierre Becquemin  
*PANEL:*  
Konstantinos Donas  
Piotr Kasprzak  
Eric Ducasse  
Spiridon Botsios
- 11:00 – 11:06      A new conformable abdominal endovascular device  
Robert Rhee
- 11:06 – 11:12      Early experience with Ovation Alto™ stent graft: next generation ovation design with an elevated sealing ring  
Sean Lyden
- 11:12 – 11:18      Custom EVAR (c-EVAR) designs, a step in between standard EVAR and FEVAR devices  
Jos van den Berg
- 11:18 – 11:24      Endovascular fixation of aortic endografts – a solution for short aortic necks?  
Giovanni Pratesi
- 11:24 – 12:30      FEVAR VS. CH-EVAR: WHAT IS THE BEST FOR CHALLENGING AORTIC NECKS?
- 11:24 – 11:30      In favor of Ch-EVAR and Endoanchor-EVAR and how they have emerged as highly useful treatment options for short-neck and juxtarenal AAAs  
**Frank Criado**
- 11:30 – 11:35      In favor of FEVAR and why extended sealing zones with 3 and 4 fenestrations are better than standard double fenestration  
Eric Verhoeven
- 11:35 – 12:03      Live from Münster: Chimney EVAR for short aortic neck pathology – Step by step  
St. Franziskus Hospital Münster - Live case center
- 12:03 – 12:09      Two year comparison of fenestrated and branch grafts vs. parallel grafts for the treatment of juxtarenal and thoracoabdominal aneurysms at a single center  
James McKinsey

**We are asking all faculty members to strictly respect the given time limits.**

# PROGRAMME

LEIPZIG  
INTERVENTIONAL  
COURSE

L I N C



Frank Criado

Page 4/10

## Wednesday, January 31, 2018

- |               |   |
|---------------|---|
| 12:09 – 12:15 | Evaluating the optimal combination of aortic endografts and chimney devices in the treatment of complex aneurysms: insights from the Pericles registry<br>Konstantinos Donas  |
| 12:15 – 12:21 | First clinical experience with a new balloon-expandable stent graft: Potential advantages for side branch reconstruction during EVAR of complex pathologies<br>Eric Verhoeven |
| 12:21 – 12:27 | ChEVAS Nellix with chimneys: What we've learned from a single center study<br>Piotr Szopiński   |
| 12:27 – 12:30 | Discussion and conclusion   |

We are asking all faculty members to strictly respect the given time limits.

# PROGRAMME

LEIPZIG  
INTERVENTIONAL  
COURSE

L I N C

Frank Criado

Page 5/10

Wednesday, January 31, 2018

## ROOM 2 - MAIN ARENA 2

- 13:30 – 15:00**      **Acute aortic syndrome: Intramural hematoma, penetrating ulcer, and aortic dissection**  
*MODERATOR:*  
Marc van Sambeek  
Wei Guo  
*PANEL:*  
Weiguo Fu  
Tilo Kölbel  
Wolfgang Ritter
- 13:30 – 13:36      Intramural hematoma and penetrating ulcers: Natural history and indications for treatment  
Dittmar Böckler
- 13:36 – 13:42      Optimal medical treatment for patients with TBADs: Where does it usually go wrong  
Christoph Nienaber
- 13:42 – 13:48      Technical considerations for EVAR of Type B aortic dissections  
Massimiliano Marrocco Trischitta
- 13:48 – 13:54      Despite common believe – oversizing is also justified in TEVAR for Type B aortic dissections  
Tilo Kölbel
- 13:54 – 14:20      Live case transmission from Paris  
Hôpital Marie Lannelongue Paris - Live case center
- 14:20 – 14:26      Asymptomatic collapse of the true lumen in TBAD or “radiologic malperfusion”: Can TEVAR  
intervention be justified with available evidence?  
**Frank Criado**
- 14:26 – 14:32      Predicting successful aortic remodeling and clinical success of EVAR in Type B aortic dissections –  
What can we learn from pre-op CT imaging?  
Wei Guo
- 14:32 – 14:42      Branched EVAR for a chronic Type B dissection through the false lumen  
Piotr Kasprzak
- 14:42 – 14:48      First line treatment of acute Type B dissections with the MFM multilayer stent: Preservation of  
branches and remodelling of the aorta – Does it work?  
Ralf Kolvenbach

**We are asking all faculty members to strictly respect the given time limits.**

# PROGRAMME

LEIPZIG  
INTERVENTIONAL  
COURSE

L I N C



Frank Criado

Page 6/10

## Wednesday, January 31, 2018

- |               |   |
|---------------|---|
| 14:48 – 14:54 | Secondary procedures after EVAR for Type B aortic dissections – When and how?<br>Götz Richter |
| 14:54 – 15:00 | Adjunctive techniques to induce false lumen thrombosis after TEVAR for TBADs<br>Tilo Kölbel   |

We are asking all faculty members to strictly respect the given time limits.

# PROGRAMME

LEIPZIG  
INTERVENTIONAL  
COURSE

L I N C

Frank Criado

Page 7/10

Thursday, February 01, 2018

## ROOM 2 - MAIN ARENA 2

- 08:00 – 10:15**      **Pioneering techniques for the thoracic aorta and the aortic arch**  
*MODERATOR:*  
Vicente Riambau  
Frank Veith  
*PANEL:*  
Weiguo Fu  
**Frank Criado**  
Tilo Kölbel  
Christoph Nienaber  
Marc van Sambeek
- 08:00 – 08:06      Blunt trauma aortic injury management: lacks in evidence to be overcome  
Vicente Riambau
- 08:06 – 08:11      Technique and early experience using TAG conformable with active control system  
Giovanni Torsello
- 08:11 – 08:16      The new Medtronic Valiant Navion TEVAR device: How this new low-profile device can impact TEVAR  
Fabio Verzini
- 08:16 – 08:21      Latest clinical evidence of the Relay thoracic stentgraft  
Vicente Riambau
- 08:21 – 08:26      Clinical experience with a new thoracic stent graft system (Ankura™). Procedural analysis, 30 days and 6-month results in a single center study  
Theodoros Kratimenos
- 08:26 – 08:32      What is current best practice for Type A dissection repair? – Surgical techniques, outcomes, and secondary procedures  
Michael Borger
- 08:32 – 08:38      Endovascular repair of post dissection aneurysms involving the arch and thoracoabdominal aorta Via satellite from Paris  
Stéphan Haulon
- 08:38 – 08:44      The role of stent grafts in ascending aortic aneurysms  
Ralf Kolvenbach

**We are asking all faculty members to strictly respect the given time limits.**

# PROGRAMME

LEIPZIG  
INTERVENTIONAL  
COURSE

L I N C



Frank Criado

Page 8/10

## Thursday, February 01, 2018

- 08:44 – 08:50 Aortic arch pathology options: Open, hybrid, fenestration, chimney, or branched stent graft?  
Via satellite from Leipzig  
Chang Shu
- 08:50 – 08:56 Endografting of the aortic arch: current results and future techniques  
Tilo Kölbel
- 08:56 – 09:02 Mid-term results of endovascular arch repair with parallel grafts  
Reinhard Kopp
- 09:02 – 09:29 Live case transmission from Leipzig  
University Hospital Leipzig, Dep. Angiology - Live case center
- 09:29 – 09:52 Live case transmission from Paris  
Hôpital Marie Lannelongue Paris - Live case center
- 09:52 – 09:58 Arch repair with the Bolton Medical RelayBranch thoracic stentgraft system: Multi-center experience  
Joost A. van Herwaarden
- 09:58 – 10:03 European experience with a thoracic device to treat the arch  
Dittmar Böckler
- 10:03 – 10:09 Limitations in patient selection for arch branched devices  
Via satellite from Paris  
Stéphan Haulon
- 10:09 – 10:15 Conversion to open surgery following failed thoracic endovascular repair  
Michael Jacobs

We are asking all faculty members to strictly respect the given time limits.



# PROGRAMME

LEIPZIG  
INTERVENTIONAL  
COURSE

L I N C

Frank Criado

Page 9/10

Thursday, February 01, 2018

## SCIENTIFIC POSTERS

- 14:45 – 16:10**      **Challenging cases: EVAR part II**  
*JUROR:*  
**Frank Criado**  
Armando Lobato
- 14:45 – 14:50      Aortouni-iliac stent-grafting in patient with abdominal aortic aneurysms associated with colorectal cancer  
Anna Oleschuk
- 14:50 – 14:55      Endovascular management of localized aortic lesions  
Mohamed Ismail
- 14:55 – 15:00      Retrograde Type A dissection following endovascular treatment of Type B dissection  
Satheesh Grahadhurai
- 15:00 – 15:05      Endovascular repair following post-open repair endoleak from distal anastomosis  
Ragai Makar
- 15:05 – 15:10      Challenging endovascular treatment in complicated thoracoabdominal aneurysm  
Cristina Lozano Ruiz
- 15:10 – 15:15      Successful endovascular repair of giant thoracoabdominal aneurysm: a case report  
D. Chernova
- 15:15 – 15:20      Hypogastric aneurysm isolated, how to treat?  
Nasser Mahfouz
- 15:20 – 15:25      Early open conversion for a Type IA endoleak in patient undergone endovascular repair of AAA  
Ilaria Ficarelli
- 15:25 – 15:30      Successful percutaneous repair of giant iliac aneurysm  
Onur Ta'ar
- 15:30 – 15:35      Long-term result for hybrid staged intervention for thoracoabdominal aneurism rupture  
Ksenya Kochkina
- 15:35 – 15:40      Surgical bailout for contained aortic rupture at supra-renal fixation post EVAR  
Mahmoud Elmeniesy

**We are asking all faculty members to strictly respect the given time limits.**

# PROGRAMME

LEIPZIG  
INTERVENTIONAL  
COURSE

L I N C



Frank Criado

Page 10/10

## Thursday, February 01, 2018

- |               |  |
|---------------|--|
| 15:40 – 15:45 | Thrombosis of a previously ruptured abdominal aortic aneurysm<br>Nicola Reina  |
| 15:45 – 15:50 | Was it the best solution, for this complex aortic case? Or maybe we shouldn't have treated it!!<br>Octavio de la Torre                                   |
| 15:50 – 15:55 | Endovascular treatment of aortobronchial fistula in patients sustained open surgical repair for thoracic aorta lesion: Two cases<br>Angelos Megalopoulos |
| 15:55 – 16:00 | Usefulness of transradial approach for overcoming poor coaxial alignment of contralateral limb in abdominal aortic aneurysm<br>Seung-Hwan Lee            |
| 16:00 – 16:05 | Use of AFX ENDOLOGY ENDOLOGIX with bifurcated endoprosthesis of iliaca E-LIAC JOTEC: two case report<br>Altino Moraes                                    |
| 16:05 – 16:10 | TEVAR for treatment of late undiscovered post traumatic aortic pseudo-aneurysm<br>Mahmoud Elmeniesy  |

We are asking all faculty members to strictly respect the given time limits.