

PROGRAMME

LEIPZIG
INTERVENTIONAL
COURSE

L I N C

Wolfgang Ritter

Page 1/4

Tuesday, January 30, 2018

ROOM 7 - SPEAKERS' CORNER

13:30 – 15:00

Selected abstracts original research – EVAR part II

MODERATOR:

Marc van Sambeek

PANEL:

Wolfgang Ritter

13:30 – 13:35

Deployment of bare stent reduce the pressure of false lumen in acute aortic dissection: Animal model and computer simulation

Kazuhiko Hanzawa

13:35 – 13:40

Complications in target arteries of branched and fenestrated stent grafts – incidence and management

Burkhard Zipfel

13:40 – 13:45

Thirty day outcomes favor fenestrated repair of complex abdominal aortic aneurysms

Virendra Patel

13:45 – 13:50

Initial experience with the E-liac® iliac branch device for the endovascular aortic repair of aorto-iliac aneurysms

Jan Peter Goltz

13:50 – 13:55

Open repair of proximal abdominal aneurysms classified according to the equivalent fenestrated endovascular treatment

Alessandro Grandi

13:55 – 14:00

Individualised patient decision making promotes favorable outcomes in endovascular therapy for blunt traumatic aortic injury

Ahmed Eleshra

14:00 – 14:05

Mid-term outcomes of flared iliac limb used for combined common iliac artery aneurysm during endovascular aneurysm repair

Seon-Hee Heo

14:05 – 14:10

The Candy-Plug technique using an Excluder aortic cuff – clinical utility and technical aspects

Y. Ogawa

14:10 – 14:15

Evaluation of visible spinal arteries on CT angiography before and after branched stent graft repair for thoracoabdominal aortic aneurysm

Konstantinos Gallis

We are asking all faculty members to strictly respect the given time limits.

PROGRAMME

LEIPZIG
INTERVENTIONAL
COURSE

L I N C



Wolfgang Ritter

Page 2/4

Tuesday, January 30, 2018

- | | |
|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 14:15 – 14:20 | Aneurysm of visible spinal arteries on CT angiography before and after branched stent graft repair for thoracoabdominal aortic aneurysm
Konstantinos Gallis |
| 14:20 – 14:25 | Outcome of thoracic endovascular aortic repair with single aortic arch chimney in high risk patients
Ahmed Eleshra |
| 14:25 – 14:30 | The outcome of the AFX ENDOLOGIX endograft in the prevention of Type II endoleak
Roberto Gattuso |
| 14:30 – 14:35 | Endovascular treatment of thoracoabdominal aortic aneurysm using multi-branched stent-grafts in the real world
Liliana Fidalgo Domingos |
| 14:35 – 14:40 | How we deal with aortic endograft infection
Elena Iborra |
| 14:40 – 14:45 | Immediate, delayed, and late spinal cord ischemia after extended endovascular thoracoabdominal aortic repair
Reinhard Kopp |
| 14:45 – 15:00 | Discussion and conclusion |

We are asking all faculty members to strictly respect the given time limits.

PROGRAMME

LEIPZIG
INTERVENTIONAL
COURSE

L I N C

Wolfgang Ritter

Page 3/4

Wednesday, January 31, 2018

ROOM 2 - MAIN ARENA 2

- 13:30 – 15:00** **Acute aortic syndrome: Intramural hematoma, penetrating ulcer, and aortic dissection**
MODERATOR:
Marc van Sambeek
Wei Guo
PANEL:
Weiguo Fu
Tilo Kölbel
Wolfgang Ritter
- 13:30 – 13:36 Intramural hematoma and penetrating ulcers: Natural history and indications for treatment
Dittmar Böckler
- 13:36 – 13:42 Optimal medical treatment for patients with TBADs: Where does it usually go wrong
Christoph Nienaber
- 13:42 – 13:48 Technical considerations for EVAR of Type B aortic dissections
Massimiliano Marrocco Trischitta
- 13:48 – 13:54 Despite common believe – oversizing is also justified in TEVAR for Type B aortic dissections
Tilo Kölbel
- 13:54 – 14:20 Live case transmission from Paris
Hôpital Marie Lannelongue Paris - Live case center
- 14:20 – 14:26 Asymptomatic collapse of the true lumen in TBAD or “radiologic malperfusion”: Can TEVAR
intervention be justified with available evidence?
Frank Criado
- 14:26 – 14:32 Predicting successful aortic remodeling and clinical success of EVAR in Type B aortic dissections –
What can we learn from pre-op CT imaging?
Wei Guo
- 14:32 – 14:42 Branched EVAR for a chronic Type B dissection through the false lumen
Piotr Kasprzak
- 14:42 – 14:48 First line treatment of acute Type B dissections with the MFM multilayer stent: Preservation of
branches and remodelling of the aorta – Does it work?
Ralf Kolvenbach

We are asking all faculty members to strictly respect the given time limits.

PROGRAMME

LEIPZIG
INTERVENTIONAL
COURSE

LINC



Wolfgang Ritter

Page 4/4

Wednesday, January 31, 2018

- | | |
|---------------|-----------------------------------------------------------------------------------------------|
| 14:48 – 14:54 | Secondary procedures after EVAR for Type B aortic dissections – When and how?
Götz Richter |
| 14:54 – 15:00 | Adjunctive techniques to induce false lumen thrombosis after TEVAR for TBADs
Tilo Kölbel |

We are asking all faculty members to strictly respect the given time limits.